Blade Lite

BLD-LT-600 BLD-LT-920 BLD-LT-1200 BLD-LT-1500

Blade Lite is an attractive, sleek stand in anodized silver with chrome endcaps and a streamlined base design. With four base widths to choose from, there is a Blade Lite to fit every space.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

 Comes complete with base, premium toprail, three-piece bungee pole(s) and carry bag Four sizes to choose from: 600, 920, 1200 and 1500mm wide 	 Protective foam padding in bag Lifetime hardware warranty against
dimensions:	manufacturer defects

Hardware Shipping Assembled unit: Shipping dimensions - ships in one box 600mm: 25.5"w x 8.62"d x 86"h 600mm: 29.53"l x 9.84"w x 4.92"h 647.69mm(w) x 219.07mm(d) x 2184.4mm(h) 750.062mm(l) x 249.94mm(w) x 124.97mm(h) 920mm: 38"w x 8.62"d x 86"h 920mm: 41.73"l x 9.84"w x 4.92"h 965.19mm(w) x 219.07mm(d) x 2184.4mm(h) 1059.94mm(l) x 249.94mm(w) x 124.97mm(h) 1200mm[·] 49"w x 8 62"d x 86"h 1200mm: 53.15"l x 9.84"w x 4.92"h 1244.6mm(w) x 219.07mm(d) x 2184.4mm(h) 1350.01mm(l) x 249.94mm(w) x 124.97mm(h) 1500mm: 61"w x 8.62"d x 86"h 1500mm[.] 64 96"l x 9 84"w x 4 92"h 1549.39mm(w) x 219.07mm(d) x 2184.4mm(h) 1649.98mm(l) x 249.93mm(w) x 124.97mm(h) Graphic Approximate shipping weight: Visible dimensions: 600mm: 6.72lbs/3.05kg 600mm: 23.5"w x 83.25"h 596.9mm(w) x 2114.5mm(h) 920mm: 12.12lbs/5.5kg 920mm: 36"w x 83.25"h 914.4(w) x 2114.5mm(h) 1200mm: 14.33lbs/6.5kg 1200mm: 47.25" w x 83.25" h 1500mm: 18.47lbs/8.4kg 1200.1mm(w) x 2114.5mm(h) 1500mm: 59"w x 83.25"h 1498.6mm(w) x 2114.5mm(h) Graphic materials: 13 oz flatmaxx vinyl or oxford fabric Refer to related graphic template for more information Pole heights for the Blade 600: 1 pole: 21" additional information: 2 pole: 41.5" 3 pole: 62.5" 4 pole: 83.25" Stand is supplied with premium top rail including both gripper and adhesive options, we recommend use of clamp rail Pole heights for remaining blade lites: 1 pole: 27.75"

Blade Lite 600 and 920 are supplied with one bungee pole per unit while 1200 and 1500 come with two bungee poles per unit

2 pole: 55.5"

3 pole: 83.25"

Blade Lite set-up









Graphic to toprail attachment (metal insert)











Insert graphic onto graphic rail

Graphic to base attachment













Check out these related products:

